heatilator®

*The first name in fireplaces*

# Fireplace Guide

PREFERRED BRAND #1 BUILDERS & REMODELERS

heatilator
*The first name in fireplaces*

# table of contents

**Page 11.....**
**Traditional Gas Fireplaces**

**Page 29.....**
**Linear Gas Fireplaces**

**Page 36.....**
**Wood-Burning Fireplaces**

**Page 48.....**
**Indoor/Outdoor Fireplaces**

**Page 56.....**
**Outdoor Fireplaces**

**Page 70.....**
**Outdoor Gas Fire Pit**

**In 1927, Charles Lindbergh flew across the Atlantic**

# and Heatilator introduced the first factory-built air circulating fireplace.

This revolutionary product forever changed the industry and enabled more consumers to have a fireplace in their homes.

For more than 90 years, Heatilator has remained true to its roots. Today, a full line of well-crafted hearth products provide value to homeowners in a broad range of design choices. Heatilator remains the most preferred and installed brand by building professionals—a testament to the unyielding quality and trust behind the Heatilator name.

Rave linear direct vent gas fireplace

## Why a fireplace?

From an elemental standpoint, fire is king. From a design standpoint, the regal ambiance a fireplace brings to a space is undeniable. With today's hearth innovations and technologies, it's possible to include a fireplace in virtually any room in your residential or commercial project.

NAHB

Both indoor and outdoor fireplaces remain in the "Top 5" decorative product features by homebuyers.

– 2017 Homebuyer Housing Preferences across Generations, NAHB

Indoor fireplaces are the "#1 must have" home feature for homebuyers.

– 2016 Realtor.com Homebuyer & Realtor Research

Angie's list

Fireplaces, both indoor and outdoor, are one of the top most sought after features by homebuyers and realtors.

– 2016 Angie's List Homebuyer & Realtor Research

ASLA

Fireplaces/firepits are the #1 most popular outdoor design element.

– 2018 American Society of Landscape Designers Annual Residential Landscape Architecture TrendsSurvey

## Seeing Is Believing

Competitors have tried to say their fireplaces are bigger, but are they really? Consumers can be misled by fireplace measurements that are not standardized. With Heatilator, you can show the consumer the difference.

The Heatilator brand uses a simple system that features the width of the fireplace's viewing area right in the product name. Consumers care about what they "see" not what is hidden. For example, the width of the viewing area on the Novus 36 fireplace is 36 inches.

- CAD Details
- Revit Objects
- CSI Specs

## Heatilator Makes Specifying Simple

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Heatilator also has complete 3-Part CSI/CSA fireplaces specifications for you to add instantly into section 10-31-00 of your construction documents. Find everything you need at pro.heatilator.com.

# Design Considerations

The placement of the fireplace is critical to specifying the right fireplace for the right project. When evaluating how to best work a fireplace model into your floor plan, make sure to work with your local Hearth Expert™ to factor in the following components:



## Exterior Wall

A classic application that suits both traditional and modern fireplace models. These applications typically employ the most simplistic vent runs, but may require an exterior chase or bump out.



## Corner

Best used in floor plans with minimal square footage or where other architectural elements (i.e. windows) take precedence as a focal point. Traditional models or smaller modern linear models work best for these applications.



## Interior Wall / Island

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floor plans. These applications may require a power vent system and a more complex vent run.

---

## Install Virtually Anywhere: Power Venting Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.



# Specification Check List

Planning is critical to ensure the model you are specifying will work with your home plans. When specifying a fireplace model for your floor plan, make sure to work with your local Hearth Expert to factor in the following factors:

## Framing Dimensions

For both the fireplace itself and for any vent pipe that must terminate through a wall.



## Connection Requirements

Make sure you understand where venting, gas and electrical connection points are located on the model you're specifying.



## Vent Run Requirements

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential when deciding which fireplace model to choose and where to best place it in your plans.

## Clearances to Combustibles

For mantels, flooring, surround material and appliances adjacent to the fireplace.



## Exterior Termination Location

Know the distances needed from the termination cap to nearby windows, overhangs, soffits and sidewalks.

# Heat Management Solutions

Increase homebuyer satisfaction by specifying a model with heat management.

**PASSIVE HEAT™ KIT** Allows heat to disperse naturally (no fan) into the room, reducing surface temperatures. Choose side, front or open wall register.

Side Register | Front Register | Open Wall Register

**SMART WALL™ KIT** Design flexibility with an automatic fan that allows a TV to be mounted 12" above the fireplace without a mantel or shelf.[1]

1 The SmartWall fan will and must run continuously to move the heat away from the area above the fireplace. Also minimum guidelines must be followed:

- Minimum of 3" gap between the TV and wall at all angles
- Minimum of 24" to side wall
- Ambient room temperature 75° F or less
- See TV manufacturer's recommendation for TV operating temperatures
- Minimum 60" from the top of the fireplace opening to the ceiling

**HEAT-ZONE® KIT** Draw heat from your fireplace to another room in your home, up to 20 feet away. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.



**HEAT-OUT® KIT** Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.

# Key Technologies

### DIRECT VENT TECHNOLOGY
Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

### POWER VENT™ TECHNOLOGY
A power vent is a fan-powered accessory allowing for longer more complicated vent runs – making it possible to install a gas fireplace virtually anywhere in a property.

### WHISPERTONE™ TECHNOLOGY
Patent-pending system which allows airflow with minimal sound, the ability to horizontally terminate, and an automatic damper which stops air movement when the fireplace is off, thus preventing cold air infiltration into the home.

### INTELLIFIRE® IGNITION SYSTEMS
Advanced intermittent pilot ignition systems with memory settings and programmable RC300 or RC400 remote controls. IPI systems constantly monitors ignition, ensures safe functioning and conserves up to $10/month in energy costs. Options Include IntelliFire, IntelliFire Plus and IntelliFire Touch.

# Product Features



# Traditional Gas Fireplaces

# Traditional Opening clear view

## Legacy

Just you and the fire. The patent-pending design of the Legacy TrueView Series provides a large, traditional fireplace opening with a clear view of the fire without any glass. Mild heat and easy, one-touch operation allows you to comfortably run your fireplace year-round. Plus, it offers design flexibility to safely place a TV just 12 inches above the fireplace without a mantel.

# Legacy Options

### Doors

Grand Vista Operable Mesh Doors

### Interior Panels

Traditional

Herringbone

### Logs

Premium Cast Logs

### Control

Standard IntelliFire Touchscreen remote; Wi-Fi capable

### Powered by WhisperTone™ Technology




- No glass
- Horizontal termination
- Automatic damper
- Mild heat output

1. Room air is used for combustion through the open front.
2. Combustion air then flows into the insulated chamber.
3. Patent-pending chamber slows airflow, minimizing sound.
4. Automatic damper allows combustion out, keeps heated room air in.

# Legacy Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | VIEWING AREA (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Legacy 42 | 50-3/8" (1280mm) | 51-3/8" (1305mm) | 34-5/8" (879mm) | 51-3/8" (1305mm) | 74-1/8" (1883mm) | 74-5/8" (1895mm) | 28-1/2" (724mm) | 28" (711mm) | 42" x 28-1/2" (1067mm x 724mm) | 65,000 |













INTELLIFIRE TOUCH

WHISPERTONE

FIREPLACE SAFETY

LIMITED LIFETIME WARRANTY

## Heirloom

The Heirloom provides authentic masonry style without the costs of a site-built masonry fireplace. The largest 36, 42 and 50-inch viewing areas in their class showcase intense fires and textured brick refractories. Powerful heat and high-efficiency performance help make the Heirloom a welcomed addition to any home. Enjoy total control while operating your fireplace. It is simple, smart and safe with IntelliFire™ Touch. Select the touchscreen remote control or wireless wall switch for the solution that fits your life.

# Heirloom Options

### Fronts



Firescreen



Firescreen Arch

### Finishes

Black

Bronze

### Interior Panels

Traditional

Herringbone

Fade-resistant reflective black glass

### Control

Standard IntelliFire Touchscreen remote; Wi-Fi capable

# Heirloom Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| HEIR36 | 61" (1549mm) | 59-1/2" (1511mm) | 59-1/4" (1505mm) | 59-1/2" (1511mm) | 57-5/8" (1464mm) | 56" (1422mm) | 24" (610mm) | 24" (610mm) | 35-7/8" x 31-1/16" (911mm x 789mm) | 45,000 |
| HEIR42 | 67" (1702mm) | 65-9/16" (1665mm) | 65-5/16" (1659mm) | 65-9/16" (1665mm) | 62-5/8" (1591mm) | 61" (1549mm) | 24" (610mm) | 24" (610mm) | 41-7/8" x 36-1/16" (1064mm x 916mm) | 54,000 |
| HEIR50 | 75" (1905mm) | 73-9/16" (1869mm) | 73-5/16" (1862mm) | 73-9/16" (1869mm) | 66-5/8" (1692mm) | 65" (1651mm) | 24" (610mm) | 24" (610mm) | 49-7/8" x 40-1/16" (1267mm x 1018mm) | 65,000 |













DIRECT VENT | INTELLIFIRE TOUCH | FIREPLACE SAFETY | LIMITED LIFETIME WARRANTY | POWER VENT

# beautiful, roaring fire

## Caliber nXt

The Caliber nXt delivers impressive heating power along with traditional ambiance. Realistic logs and bold flames fill the large viewing area with a beautiful, roaring fire.

# Caliber nXt Options

### Fronts

Simon (black only)

Contour

Craftsman

### Finishes

Black

Bronze

### Interior Panels

Traditional

Fade-resistant reflective black glass

Herringbone

### Control

Standard IntelliFire Touchscreen remote; Wi-Fi capable

# Caliber nXt Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| CNXT4236IFT | 41" (1041mm) | 42" (1067mm) | 28-1/2" (724mm) | 42" (1067mm) | 39-7/8" (1013mm) | 40-1/8" (1019mm) | 21" (533mm) | 22" (559mm) | 32" x 21-9/16" (813mm x 548mm) | 40,000 |
| CNXT4842IFT | 48" (1219mm) | 49" (1245mm) | 35-1/2" (901mm) | 49" (1245mm) | 41-7/8" (1064mm) | 42-1/8" (1070mm) | 21" (533mm) | 22" (559mm) | 39" x 23-5/8" (991mm x 600mm) | 45,000 |













HEAT-ZONE · DIRECT VENT · INTELLIFIRE TOUCH · FIREPLACE SAFETY · LIMITED LIFETIME WARRANTY · POWER VENT

## Caliber

Caliber Gas Fireplaces feature a deep interior. Engineering innovations deliver high efficiency levels and easy operation. Create your unique look by pairing designer front and finish options to define any room.

# designer finishes

# Caliber Options

### Fronts

Simon (black only)

Contour

Craftsman

### Interior Panels

Traditional

Fade-resistant reflective black glass

### Control

IntelliFire Touchscreen remote; Wi-Fi capable

### Finishes

Black

Bronze

# Caliber Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| CD4236IFT | 41" (1041mm) | 42" (1067mm) | 28-1/2" (724mm) | 42" (1067mm) | 39-7/8" (1013mm) | 40-1/8" (1019mm) | 21" (533mm) | 22" (559mm) | 32" x 21-9/16" (813mm x 548mm) | 30,000 |
| CD4842IFT | 48" (1219mm) | 49" (1245mm) | 35-1/2" (901mm) | 49" (1245mm) | 41-7/8" (1064mm) | 42-1/8" (1070mm) | 21" (533mm) | 22" (559mm) | 39" x 23-5/8" (991mm x 600mm) | 35,000 |













HEAT-ZONE · DIRECT VENT · INTELLIFIRE TOUCH · FIREPLACE SAFETY · LIMITED LIFETIME WARRANTY · POWER VENT

## Novus nXt

The Novus nXt gas fireplace makes the time-honored tradition of gathering around the fireplace even more enjoyable with active flames and powerful heat. This captivating experience sets the scene for countless memories to be made season after season.

# more flame, **more heat,** more standard features

# Novus nXt Options

### Fronts

Simon (black only)



Tres



Demi

### Finishes

Black

Bronze

### Interior Panels

Traditional

### Control

Standard IntelliFire Touchscreen remote; Wi-Fi capable

# Novus nXt Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| NNXT3933I | 38" (965mm) | 39" (991mm) | 11-5/8" (295mm) | 39" (991mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 33" x 22-5/8" (838mm x 575mm) | 29,000 |
| NNXT4236I | 41" (1041mm) | 42" (1067mm) | 14-5/8" (371mm) | 42" (1067mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 36" x 22-5/8" (914mm x 575mm) | 31,000 |




DIRECT VENT · INTELLIFIRE TOUCH · FIREPLACE SAFETY · LIMITED LIFETIME WARRANTY · POWER VENT

## Novus

Novus is the #1 best-selling gas fireplace of all time. The versatile Novus fits into almost any lifestyle and space, where other fireplaces can't. Relax in knowing the industry's most recognized brand delivers long-lasting performance, allowing you to make fireside memories for years to come.

# #1 best-selling gas fireplace

# Novus Options

### Fronts

Simon (black only)



Tres



Demi

### Finishes

Black

Bronze

### Interior Panels

Traditional

### Control

IntelliFire Touchscreen remote; Wi-Fi capable

# Novus Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| NBV/NDV3630I | 35" (889mm) | 36" (914mm) | 8-5/8" (219mm) | 36" (914mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 30" x 22-5/8" (762mm x 575mm) | 29,000 |
| NBV/NDV3933I | 38" (965mm) | 39" (991mm) | 11-5/8" (295mm) | 39" (991mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 33" x 22-5/8" (838mm x 575mm) | 31,000 |
| NBV/NDV4236I | 41" (1041mm) | 42" (1067mm) | 14-5/8" (371mm) | 42" (1067mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 36" x 22-5/8" (914mm x 575mm) | 29,000 |
| NBV/NDV4842I | 47" (1194mm) | 48" (1219mm) | 20-5/8" (524mm) | 48" (1219mm) | 35-1/4" (896mm) | 34-7/8" (886mm) | 19-1/8" (486mm) | 19-5/8" (498mm) | 42" x 22-5/8" (1067mm x 575mm) | 31,000 |




DIRECT VENT · INTELLIFIRE TOUCH · FIREPLACE SAFETY · LIMITED LIFETIME WARRANTY · POWER VENT

## Multi-sided Series

The Heatilator gas multi-sided series has something for every home: a peninsula model offering three-sided viewing, a see-through model adding warmth and beauty to two separate rooms, or a corner model designed to light up tight spaces. Available in left-hand and right-hand models, these unique multi-sided units can be installed virtually anywhere.

warmthandbeauty

# Multi-side Options

### Fronts

Simon (black only)

Craftsman

### Finishes

Black

Bronze

### Interior Panels

Weathered Traditional

Reflective Black Glass

### Control

IntelliFire Touchscreen remote; Wi-Fi capable

### Interior Media*

Crystal Glass

Ebony Glass

Cobalt Glass

Amber Glass

Scarlet Glass

Cast Stones

# See-Through Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| GDST3831I | 37-5/8" (956mm) | 38-1/8" (969mm) | 37-5/8" (956mm) | 38-1/8" (969mm) | 34-1/2" (876mm) | 34-3/4" (883mm) | 16" (406mm) | 15" (381mm) | 31-1/8" x 21" (791mm x 533mm) | 21,000 |
| GDST4336I | 42-1/2" (1080mm) | 43" (1092mm) | 42-1/2" (1080mm) | 43" (1092mm) | 38" (965mm) | 38-1/8" (968mm) | 24" (610mm) | 23" (584mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 |













DIRECT VENT | INTELLIFIRE TOUCH | FIREPLACE SAFETY | LIMITED LIFETIME WARRANTY | POWER VENT

*Modern media available on the 36" see-through and peninsula models only.

# Peninsula Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| GDFL4136I | 40-1/2" (1029mm) | 40" (1016mm) | 40-1/2" (1029mm) | 40" (1016mm) | 38" (965mm) | 38-1/8" (968mm) | 24" (610mm) | 23" (584mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 |













# Corner Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| GDCR/CL4136I | 40-1/2" (1029mm) | 40" (1016mm) | 40-1/2" (1029mm) | 40" (1016mm) | 38" (965mm) | 38-1/8" (968mm) | 24" (610mm) | 23" (584mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 |













DIRECT VENT | INTELLIFIRE TOUCH | FIREPLACE SAFETY | LIMITED LIFETIME WARRANTY | POWER VENT

# generous flames

## Reveal

Recreate the timelessness of a wood burning fire with the open-hearth Reveal. Match your mood and enjoy full, generous flames with the optional doors open or closed.

# Reveal Options

### Doors

Fixed Door

Bi-Fold Doors

### Interior Panels

Traditional

Herringbone

# Reveal Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| RBV4236I | 41" (1041mm) | 42" (1067mm) | 23-3/4" (603mm) | 42" (1067mm) | 39-1/2" (1003mm) | 39-3/4" (1010mm) | 21-1/2" (546mm) | 22" (559mm) | 36" x 21" (791mm x 533mm) | 40,000 |
| RBV4842I | 47" (1194mm) | 48" (1219mm) | 29-3/4" (756mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1010mm) | 21-1/2" (546mm) | 22" (559mm) | 42" x 21" (1067mm x 533mm) | 42,000 |



# Linear Direct Vent Gas Fireplaces

## Crave Series

The Crave provides modern luxury at an affordable price. Available in 36, 48, 60, and 72-inch lengths, single-sided and see-through. Multiple upgrade options let you accent your style and personalize your look. It's an easy choice. Modern luxury, backed by the #1 preferred brand by builders and remodelers.

# modern luxury

36, 48, 60
&
72 inch
Crave See-Through

# Crave Series Options

## Fronts

Clean Face Trim

Four Square

Illusion

Illusion top view

## Control

Standard IntelliFire Touchscreen remote; Wi-Fi capable

## Finishes

Black

Bronze

## Interior Panels

Reflective Black Glass

## Interior Lighting

With Lighting and Crystal Glass

Without Lighting and Crystal Glass

## Interior Media

Crystal Glass

Ebony Glass

Cobalt Glass

Amber Glass

Scarlet Glass

Natural Log Set ( Requires Glass Media)

# Crave Series Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E x F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | | |
| CRAVE4836, CRAVE4836ST | 46-3/16" (1173mm) | 48-1/4" (1226mm) | 46-3/16" (1173mm) | 48-1/4" (1226mm) | 41-3/4" (1060mm) | 42" (1067mm) | 17-1/8" (435mm) | 18-1/4" (464mm) ST: 17" (432mm) | 35-1/2 x 12-1/2" (908 x 318mm) | 30,000 |
| CRAVE6048, CRAVE6048ST | 58" (1473mm) | 60-1/4" (1530mm) | 58" (1473mm) | 60-1/4" (1530mm) | 41-3/4" (1060mm) | 42" (1067mm) | 17-1/8" (435mm) | 18-1/4" (464mm) ST: 17" (432mm) | 47-1/2 x 12-1/2" (1207 x 318mm) | 40,000 |
| CRAVE7260, CRAVE7260ST | 70" (1778mm) | 72-1/4" (1835mm) | 70" (1778mm) | 72-1/4" (1835mm) | 47-3/4" (1213mm) | 48" (1219mm) | 17-1/8" (435mm) | 18-1/4" (464mm) ST: 17" (432mm) | 59-1/2 x 12-1/2" (1511 x 318mm) | 50,000 |
| CRAVE8472, CRAVE8472ST | 82" (2083mm) | 84-1/4" (2140mm) | 82" (2083mm) | 84-1/4 [2140mm) | 47-3/4" (1213mm) | 48" (1219mm) | 17-1/8" (435mm) | 18-1/4" (464mm) ST: 17" (432mm) | 71-1/2 x 12-1/2" (1861 x 318mm) | 58,000 |

TOP VIEW - SINGLE-SIDED




TOP VIEW - SEE-THROUGH




FRONT VIEW




LEFT SIDE VIEW




RIGHT SIDE VIEW




INTELLIFIRE TOUCH

PASSIVE HEAT

HEAT-ZONE

POWER VENT

# linear style, **proven value**

## Rave Series

The Rave adds a modern linear style and proven value to any home or office. Contemporary design elements are highlighted by a long, mesmerizing ribbon of flame rising through attractive modern media. Explore unique placements and create a custom look with a choice of finishing options.

# Rave Options

## Fronts

Clean Face Trim

Illusion

Illusion top view

## Finishes

Black

Bronze

## Interior Media

Crystal Glass

Ebony Glass

Ceramic Fiber Stones

LED Accent Lighting

Fade-resistance Reflective Black Glass

## Control

IntelliFire Touchscreen remote; Wi-Fi capable

# Rave Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Rave 32" | 36" (914mm) | 37" (940mm) | 25-3/4" (654mm) | 37" (940mm) | 38-1/16" (967mm) | 36-1/2" (927mm) | 17-3/4" (451mm) | 17-3/4" (451mm) | 27-1/4" x 15-1/4" (692mm x 387mm) | 19,000 (NG) 16,500 (LP) |
| Rave 36" | 41" (10419) | 42" (1067) | 30-3/4" (781) | 42" (1067) | 33-11/16" (856) | 32-3/4" (832) | 17-3/4" (451) | 17-3/4" (451) | 32-1/4" x 15-1/4" (819 x 387) | 20,500 (NG) 19,000 (LP) |
| Rave 42" | 48" (1219mm) | 49" (1245mm) | 37-3/4" (959mm) | 49" (1016mm) | 33-11/16" (856mm) | 32-3/4" (832mm) | 17-3/4" (451mm) | 17-3/4" (451mm) | 39" x 15-1/4" (991mm x 387mm) | 25,250 (NG) 23,500 (LP) |




INTELLIFIRE TOUCH · PASSIVE HEAT · SMARTWALL · HEAT-ZONE · HEAT OUT

# Wood-Burning Fireplaces

# Why A Wood Fireplace?

Heatilator wood-burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a wood-fueled appliance. It's important to understand local codes when specifying wood burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

# Termination Requirements for Wood Burning Fireplaces

The quality of the fire depends on where you design—in the chimney and termination components for the specified wood-burning model. It's important to meet with a local hearth installer early in the design process to ensure proper termination placement.Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.



## Birmingham

The Birmingham offers high performance and flush hearth designs for finishing right up to the opening. The appearance of a custom-built masonry fireplace at a fraction of the cost.

# the look of custom-built masonry

# Birmingham Options

### Doors

Glass Bi-fold Doors

### Finishes

Black

Bronze

### Interior Panels

Traditional

Herringbone

### Available Gas Logs

Grand Oak Gas Logs

# Birmingham Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| BIR36 | 46-7/8" (1191mm) | 47-7/8" (1216mm) | 31-1/8" (790mm) | 47-7/8" (1216mm) | 74-1/8" (1883mm) | 74-1/4" (1886mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 36" x 38" (914mm x 965mm) | 150,000 |
| BIR42 | 52-7/8" (1343mm) | 53-7/8" (1368mm) | 37-1/8" (943mm) | 53-7/8" (1368mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 42" x 38" (1067mm x 965mm) | 150,000 |
| BIR50 | 60-7/8" (1546mm) | 61-7/8" (1572mm) | 45-1/8" (1146mm) | 61-7/8" (1572mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 50" x 38" (1270mm x 965mm) | 150,000 |




LIMITED LIFETIME WARRANTY

## Constitution

Enjoy intense, efficient fires in any environment. This wood-burning powerhouse exceeds the strictest environmental standards in the nation. Proven technology delivers precision start-up and air control for clean, consistent burns and extended performance. Relax and let the Constitution blaze.

# efficient and eco-friendly

# Constitution Doors

Cast Iron Doors

# Constitution Specifications

| MODEL | FRONT WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | FIREPLACE OPENING (D X E) | BTU/HR |
|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| C40-C | 40" (1016mm) | 42-1/2" (1080mm) | 40-1/2" (1029mm) | 56-3/4" (1441mm) | 23-1/2" (597mm) | 24" (610mm)* | 37" x 31-1/8" | 68,200 |









*If interior of chase will be drywalled, add the thickness to this measurement.

LIMITED LIFETIME WARRANTY

EPA CERTIFIED 2020

## Icon

The Icon boasts an expansive viewing area and authentic interior brick lining catching your eye from across the room. Impressive fires built in the Icon keep you warm and relaxed. Highlight your favorite space and let the Icon roar.

# the largest wood-burning fireplace

# Icon Options

### Doors



Grand Vista

Contour

DM Glass

### Logs

Grand Oak Gas Logs

### Interior Panels

Traditional

Herringbone

# Icon Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) |
|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | |
| I60 | 44-1/2" (1130mm) | 45-1/2" (1156mm) | 28-5/8" (727mm) | 45-1/2" (1156mm) | 59-1/4" (1505mm) | 59-3/4" (1518mm) | 27-1/2" (699mm) | 28" (711mm) | 36" x 28-1/2" (914mm x 724mm) |
| I80 | 50-1/2" (1283mm) | 51-1/2" (1308mm) | 34-1/2" (876mm) | 51-1/2" (1308mm) | 59-1/4" (1505mm) | 59-3/4" (1518mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 42" x 28-1/2" (1067mm x 724mm) |
| I100 | 60-5/8" (1540mm) | 61-5/8" (1565mm) | 41-5/8" (1057mm) | 61-5/8" (1565mm) | 70-1/2" (1791mm) | 71" (1803mm) | 29-1/2" (749mm) | 30-1/2" (775mm) | 50" x 33" (1270mm x 838mm) |



## Accelerator

The Accelerator features meticulous craftsmanship for robust fires and an impressive appearance. Multiple fronts and traditional or herringbone brick panels add individual style to the Accelerator's performance.

# craftsmanship & performance

# Accelerator Options

### Doors



Grand Vista

Bi-Fold Doors

Gasketed Doors
(for A36C & A42C only)

### Logs

Fireside Gas Logs

### Interior Panels

Traditional

Herringbone

# Accelerator Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| AR36R/C | 42" (1066mm) | 45-1/2" (1156mm) | 28-1/4" (718mm) | 45-1/2" (1156mm) | 41-3/8" (1051mm) | 41-1/2" (1054mm) | 22-3/4" (578mm) | 23" (584mm) | 36" x 23-3/8" (914mm x 594mm) | 100,000 |
| AR42R/C | 48" (1219mm) | 49" (1245mm) | 30-7/8" (784mm) | 49" (1245mm) | 41-3/8" (1051mm) | 41-1/2" (1054mm) | 22-3/4" (578mm) | 23" (584mm) | 42" x 23-3/8" (1067mm x 594mm) | 100,000 |




LIMITED LIFETIME WARRANTY

## Element

Get the most out of a roaring wood fire with a large viewing area. A richly-colored textured interior creates the look of traditional masonry. The user-friendly damper and Heatilator warranty combine to make the Element the best value in its class.

# large viewing area, richly detailed

# Element Options

### Doors



Bi-Fold Doors

### Finishes

Black

Stainless Steel

# Element Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| EL36 | 41" (1041mm) | 42" (1066mm) | 23-3/4" (603mm) | 42" (1066mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 36" x 21" (914mm x 533mm) | 100,000 |
| EL42 | 47" (1194mm) | 48" (1219mm) | 29-3/4" (758mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 42" x 21" (1067mm x 533mm) | 100,000 |




LIMITED LIFETIME WARRANTY

# Indoor/Outdoor Fireplaces

# Why An Indoor/Outdoor Fireplace?

Today's hearth technology allows for a vast array of architectural products designed to seamlessly blend inside and outside areas together. Indoor/Outdoor gas fireplaces are engineered for two sided applications, creating a beautiful portal to the outdoors while keeping your building envelope secure and thermally efficient. Flank with windows and glass and create a focal point with a view.

## Twilight II

Add warmth and beauty to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long, and from either side. An advanced design exceeds both window and gas fireplace standards, and rugged construction ensures impressive, consistent performance.

# the original see-through indoor/outdoor gas fireplace

# Twilight II Options

### Fronts

Firescreen

Contemporary

Firescreen

### Finishes

Black

Fog Gray
(Contemporary
front only)

# Twilight II Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Twilight II | 43"<br>(1091mm) | 44"<br>(1118mm) | 43"<br>(1091mm) | 44"<br>(1118mm) | 46-7/8"<br>(1191mm) | 47-5/8"<br>(1210mm) | 24"<br>(609mm) | 23"<br>(584mm) | 35-5/8" x 21-1/2"<br>(905mm x 546mm) | 38,000 |



## Twilight Modern

Bolster your favorite room and upgrade your outdoor living space. The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace, and delivers impressive fireside views whether relaxing inside or socializing outside with no venting required.

# indoor/outdoor evolution

# Twilight Modern Options

### Fronts

Firescreen

Contemporary

Firescreen

### Interior Media

Ebony Glass
(Included)

Crystal Glass

Amber Glass

### Finishes

Black

Fog Gray
(Contemporary front only)

# Twilight Modern Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Twilight Modern | 43"<br>(1091mm) | 44"<br>(1118mm) | 43"<br>(1091mm) | 44"<br>(1118mm) | 46-7/8"<br>(1191mm) | 47-5/8"<br>(1210mm) | 24"<br>(609mm) | 23"<br>(584mm) | 35-5/8" x 21-1/2"<br>(905mm x 546mm) | 38,000 |





## Fortress

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and two interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.

# Seamlessly integrate your indoor and outdoor spaces

# Fortress Options

### Interior Panels

Traditional

Herringbone

# Fortress Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Fortress 36 | 49-3/8" (1254mm) | 49-1/2" (1257mm) | 49-3/8" (1254mm) | 49-1/2" (1257mm) | 44-3/8" (1154mm) | 44-1/2" (1130mm) | 25-5/8" (650mm) | 23" (584mm) | 36" x 30" (915mm x 762mm) | 56,000 |




DIRECT VENT

INTELLIFIRE TOUCH

LIMITED LIFETIME WARRANTY

# Outdoor Fireplaces

# Why an Outdoor Fireplace?

Adding a fireplace to your outdoor space design will extend its seasonality and deliver a vibrant feature that your clients will clamor for. Designed specifically to withstand the elements, outdoor fireplaces come in a variety of styles to suit the goals of your clients and end-users. Incorporate into your exterior building envelope or as an attractive free-standing island application.



Outdoor fireplaces are in the

**top 5**

most essential and desired outdoor home features[1].



Fire features are the

**most popular**

outdoor design element[2].

**90%**

of real estate agents say an outdoor fireplace increases a home's value[3].

**70%**

of design and build firms report an increased demand for outdoor living space[4].

1: National Association Home Builders, "Housing Preferences of Homebuyers – The Boomer Generation & How They Compare to Other Homebuyers", Dec. 2016
2: Source: American Society of Landscape Architects 2016 Residential Landscape Architecture Trends Survey
3: Source: Houzz.com 2016 Landscaping Study
4: Source: American Institute of Architects

# light up your landscape

## Lanai

The Lanai linear gas fireplace offers contemporary style. Feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.

# Lanai Series Options

### LED Lighting


White

Aqua

Blue

Purple

Green

Red

Yellow

### Safety Screen

# Lanai Series Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Lanai | 57-1/4" (1454mm) | 57-3/4" (1467mm) | 57-1/4" (1454mm) | 57-3/4" (1467mm) | 36-3/8" (924mm) | 39-1/2" (1003mm) | 17-5/8" (448mm) | 17-5/8" (448mm) | 51" x 18" (1295mm x 457mm) | 43,000 |





## Villa Gas

The Villa Gas is a versatile outdoor gas fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless steel surround withstands the elements, and complements an outdoor kitchen or contemporary living space.

# compact and easy to install

# Villa Gas Options

### Doors

Stainless Steel Operable Doors

### Interior Panels

Standard Traditional

# Villa Gas Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Villa Gas 36 | 41" (1041mm) | 42" (1066mm) | 23-3/4" (603mm) | 42" (1066mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 36" x 20-7/8" (914mm x 532mm) | 40,000 |
| Villa Gas 42 | 47" (1194mm) | 48" (1219mm) | 29-3/4" (758mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 42" x 20-7/8" (1067mm x 532mm) | 40,000 |









# designed to live outdoors

## Courtyard

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs or contemporary glass, that ignite at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

# Courtyard Options

### Interior Panels

Premium Herringbone

Premium Stacked

Standard Brick

Stainless Steel

### Front


Framed Mesh Barrier

### Interior Media

Crystal Glass

Ebony Glass

Cobalt Glass

Amber Glass

Scarlet Glass

# Courtyard Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) | BTU/HR |
|---|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | | |
| Courtyard 36 | 43-1/4" (1099mm) | 43-1/2" (1105mm) | 31-1/2" (800mm) | 43-1/2" (1105mm) | 30-3/4" (781mm) | 44-1/8" (1121mm) | 18" (457mm) | 18-1/4" (464mm) | 36" x 30-3/4" (914mm x 781mm) | 55,000 |
| Courtyard 42 | 49-1/4" (1251mm) | 49-1/2" (1257mm) | 37-1/2" (953mm) | 49-1/2" (1257mm) | 30-3/4" (781mm) | 44-1/8" (1121mm) | 18" (457mm) | 18-1/4" (464mm) | 42" x 30-3/4" (1067mm x 781mm) | 55,000 |






## Villawood

The Villawood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen, or enhance your living area with style and warmth. Attractive stainless steel surround helps accent your décor.

# enhance your living area with style

# Villawood Options

### Doors

Bi-Fold Glass Doors

### Interior Panels

Herringbone

Traditional

# Villawood Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) |
|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | |
| Villawood 36 | 41" (1041mm) | 42" (1066mm) | 23-3/4" (603mm) | 42" (1066mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 36" x 20-7/8" (914mm x 532mm) |
| Villawood 42 | 47" (1194mm) | 48" (1219mm) | 29-3/4" (758mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1009mm) | 21-3/8" (542mm) | 21-1/2" (546mm) | 42" x 20-7/8" (1067mm x 532mm) |



## Castlewood

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost.

# dramatic views

# Castlewood Options

### Interior Panels

Herringbone

Traditional

### Gas Logs

Grand Oak

# Castlewood Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) |
|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | |
| Villawood 42 | 52-7/8" (1343mm) | 53-7/8" (1368mm) | 37-1/8" (943mm) | 53-7/8" (1368mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-3/8" (721mm) | 41-7/8" x 38" (1064mm x 965mm) |











## Montana

The Montana is the original outdoor fireplace that started it all. It's fashionably built to withstand adverse weather conditions and deliver solid performance—season after season, year after year.

# built to last, season after season

# Montana Options

### Doors

Bi-Fold Doors

### Interior Panels

Herringbone

Traditional

### Gas Logs

RealWood

# Montana Specifications

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | FIREPLACE OPENING (E X F) |
|---|---|---|---|---|---|---|---|---|---|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | |
| Montana 36 | 42" (1067mm) | 43" (1090mm) | 25" (635mm) | 43" (1090mm) | 41-3/4" (1060mm) | 42-3/8" (1076mm) | 23" (597mm) | 24-1/8" (613mm) | 36" x 23-1/2" (914mm x 597mm) |
| Montana 42 | 48" (1219mm) | 49" (1240mm) | 31" (787mm) | 49" (1240mm) | 41-3/4" (1060mm) | 42-3/8" (1076mm) | 23" (597mm) | 24-1/8" (613mm) | 42" x 23-1/2" (1067mm x 597mm) |



# Outdoor Gas Fire Pit

## Plaza

The Plaza outdoor linear gas fire pit allows you to invite your neighbors to gather around the fire (2 or 4’ lengths) or add a dramatic statement piece in your space (6, 8 or 10’ lengths). Make this fire feature your own with endless finishing options to complete your outdoor oasis. With only a flick of a lighter, sit back and enjoy.

# finishing options limited only by your imagination

# Plaza Options

### Media

Crystal

Ebony

Cobalt

Amber

Lava Rock

# Plaza Specifications

| MODEL | LENGTH | WIDTH | DEPTH | VIEWING AREA | BTU/HR INPUT |
|---|---|---|---|---|---|
| PLAZA-24S | 24 [610] | 5-3/8 [137] | 5-3/8 [137] | 24 x 5-3/8<br>[613 x 137] | 32,000 |

TOP VIEW




SIDE VIEW




CLEARANCES







| | Starter Kit | Starter +1 extension | Starter + 2 extensions | Starter + 3 extensions | Starter + 4 extensions |
|---|---|---|---|---|---|
| A | 26 in (660 mm) | 50 in (1270 mm) | 74 in (1880 mm) | 98 in (2489 mm) | 122 in (3099 mm) |
| B | 24 in (610 mm) | 48 in (1219 mm) | 72 in (1829 mm) | 96 in (2438 mm) | 120 in (3048 mm) |

| | | A | B | C | D | E |
|---|---|---|---|---|---|---|
| ODPLAZA-L24S | *in* | 17 | 17 | 45 | 8 | 8 |
| | *mm* | 432 | 432 | 1143 | 203 | 203 |

# Notes

heatilator®

*The first name in fireplaces*

800-927-6841 | heatilator.com

facebook.com/Heatilator

twitter.com/Heatilator

youtube.com/HeatilatorFireplaces

HTL-1109-0820